

FUGITIVE EMISSION CERTIFICATE

CERTIFICATE NUMBER:

FG-063579-647

CLIENT:

OMAL

ADDRESS:

Via Ponte Nuovo, 11 25050 Rodengo Saiano (BS) - Italy

REPORT NUMBER:

38

SCOPE OF REPORT:

Fugitive Emission test carried out according to: ISO 15848-1 Edition 2015

max BAR:

100,0 Bar

max °C:

+200°C

QUALIFIED VALVE:

Size:

1"1/2 (Stem Dia. 23mm)

Rating Class:

ANSI 600

Drawing N°:

Y_4700

Type:

SPLIT BODY BALL VALVE

RANGE AND TYPE OF VALVES COVERED:

ISO FE BH-C03-SSA0-t(-29°C, 200°C)-ANSI600-ISO 15848-1

In accordance with ISO 15848, we also extend the certification to valve

with same stem and body seals material, design (shape) and

construction, with stem size 50% lower and 200% higher than stem

tested.

Paragraph 8 e): Stem tested Ø23 mm => Ø11.5 mm ≤ Stem certified ≤ Ø46

mm

Paragraph 8 f): Pressure ≤ANSI600

The valve certified in accordance with paragraph 8 e) & 8 f) are:

From DN15 FB to DN 100 FB, ANSI ≤ cl.600 and PN ≤ 100 of series M4,

T1.

From DN20 RB to DN150 RB, ANSI ≤ cl.600 and PN ≤ 100 of series T1.

TÜV
INSPECTOR

Mastrogiacomo Simone

Review

Witness

Mate IF M & Name: Management of the state of the state

CERTIFICATION DATE 07/09/2015

MANAGEMENT INSPECTION
SERVICE
Frecchiami Mauro